EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	18	(card with ((array or matrix or one-dimension$5 or two-dimension$5 or ((one or two) adj2 dimension $5)) near2 (symbol or glyph or square or pattern or dot or line or bar))) and (((array or matrix or one-dimension $5 or two-dimension$5 or ((one or two) adj2 dimension$5)) near2 (symbol or glyph or square or pattern or dot or line or bar)) same ((program$5 or instruction) near3 (script or set or code or instruction))) and ((scan$5 or read $3 or sens$3) near3 ((array or matrix or one-dimension$5 or two-dimension$5 or ((one or two) adj2 dimension $5)) near2 (symbol or glyph or square or pattern or dot or line or bar)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 12:03

| S2 | 39 | (card with ((row or column or array or matrix or one-dimension$5 or two-dimension$5 or ((one or two) adj2 dimension$5)) near2 (symbol or glyph or square or pattern or dot or line or bar))) and (((row or column or array or matrix or one-dimension$5 or two-dimension$5 or ((one or two) adj2 dimension$5)) near2 (symbol or glyph or square or pattern or dot or line or bar)) same ((program$5 or instruction) near3 (script or set or code or instruction))) and ((scan$5 or read $3 or sens$3) near3 card same ((row or column or array or matrix or one-dimension$5 or two-dimension $5 or ((one or two) adj2 dimension $5)) near2 (symbol or glyph or square or pattern or dot or line or bar))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/02/26 12:04 |
| S3 | 11 | S2 not silverbrook.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/02/26 12:08 |

S4	28	S2 and silverbrook. in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 12:08
S5	1500	(((row or column or array or matrix or one-dimension $5 or two-dimension$5 or ((one or two) adj2 dimension$5)) near2 (symbol or glyph or square or pattern or dot or line or bar))) and (((row or column or array or matrix or one-dimension $5 or two-dimension$5 or ((one or two) adj2 dimension$5)) near2 (symbol or glyph or square or pattern or dot or line or bar)) same ((program$5 or instruction) near3 (script or set or code or instruction))) and ((scan$5 or read $3 or sens$3) same ((row or column or array or matrix or one-dimension$5 or two-dimension$5 or ((one or two) adj2 dimension $5)) near2 (symbol or glyph or square or pattern or dot or line or bar)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 12:10

S6	320	S5 and (camera or (image adj2 captur $3)) same (scan$5 or read$3 or sens $3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 12:11
S7	8	S6 and (camera or (image adj2 captur $3)) same (housing or slot) same card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 12:11
S8	21	S6 and (housing or slot) same card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 12:12
S9	1500	(((row or column or array or matrix or one-dimension $5 or two-dimension$5 or ((one or two) adj2 dimension$5)) near2 (symbol or glyph or square or pattern or dot or line or bar))) and (((row or column or array or matrix or one-dimension $5 or two-dimension$5 or ((one or two) adj2 dimension$5)) near2 (symbol or glyph or square or pattern or dot or line or bar)) same ((program$5 or instruction) near3 (script or set or code or instruction))) and ((scan$5 or read $3 or sens$3) same ((row or column or array or matrix or one-dimension$5 or two-dimension$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:10

		or ((one or two) adj2 dimension $5)) near2 (symbol or glyph or square or pattern or dot or line or bar)))				
S10	320	S9 and (camera or (image adj2 captur $3)) same (scan$5 or read$3 or sens $3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:10
S11	21	S10 and (housing or slot) same card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:10
S12	0	S9 and "656791". ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:23
S13	0	((((row or column or array or matrix or one-dimension $5 or two-dimension$5 or ((one or two) adj2 dimension$5)) near2 (symbol or glyph or square or pattern or dot or line or bar))) and (((row or column or array or matrix or one-dimension $5 or two-dimension$5 or ((one or two) adj2 dimension$5)) near2 (symbol or glyph or square or pattern or dot or line or bar)) same ((program$5 or instruction) near3 (script or set or code or instruction))) and "656791".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:24

S14	2	((((row or column or array or matrix or one-dimension$5 or two-dimension$5 or ((one or two) adj2 dimension$5)) near2 (symbol or glyph or square or pattern or dot or line or bar))) and "656791".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:24
S15	0	(((row or column or array or matrix or one-dimension$5 or two-dimension$5 or ((one or two) adj2 dimension$5)) near2 (symbol or glyph or square or pattern or dot or line or bar)) same ((program$5 or instruction) near3 (script or set or code or instruction))) and "656791".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:25
S16	0	(((row or column or array or matrix or one-dimension$5 or two-dimension$5 or ((one or two) adj2 dimension$5)) near2 (symbol or glyph or square or pattern or dot or line or bar)) same1 ((program$5 or instruction) near3 (script or set or code or instruction))) and "656791".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:25

S17	1	(((row or column or array or matrix or one-dimension $5 or two-dimension$5 or ((one or two) adj2 dimension$5)) near2 (symbol or glyph or square or pattern or dot or line or bar)) and ((program$5 or instruction) near3 (script or set or code or instruction))) and "656791".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:25
S18	0	(((row or column or array or matrix or one-dimension $5 or two-dimension$5 or ((one or two) adj2 dimension$5)) near2 (symbol or glyph or square or pattern or dot or line or bar)) same2 ((program$5 or instruction) near5 (script or set or code or instruction))) and "656791".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:26
S19	1	(((row or column or array or matrix or one-dimension $5 or two-dimension$5 or ((one or two) adj2 dimension$5)) near2 (symbol or glyph or square or pattern or dot or line or bar)) same8 ((program$5 or instruction) near5 (script or set or code or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:26

		instruction))) and "656791".ap.				
S20	1	(((row or column or array or matrix or one-dimension $5 or two-dimension$5 or ((one or two) adj2 dimension$5)) near2 (symbol or glyph or square or pattern or dot or line or bar)) same8 ((program$5 or instruction) same (script or set or code or instruction))) and "656791".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:28
S21	0	(((row or column or array or matrix or one-dimension $5 or two-dimension$5 or ((one or two) adj2 dimension$5)) near2 (symbol or glyph or square or pattern or dot or line or bar)) same ((program$5 or instruction) same (script or set or code or instruction))) and "656791".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:28
S22	0	(((row or column or array or matrix or one-dimension $5 or two-dimension$5 or ((one or two) adj2 dimension$5)) near2 (symbol or glyph or square or pattern or dot or line or bar)) same2 ((program$5 or instruction) same	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:28

		(script or set or code or instruction))) and "656791".ap.				
S23	0	(((row or column or array or matrix or one-dimension$5 or two-dimension$5 or ((one or two) adj2 dimension$5)) near2 (symbol or glyph or square or pattern or dot or line or bar)) same2 ((program$5 or instruction) same2 (script or set or code or instruction))) and "656791".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:28
S24	1	(((row or column or array or matrix or one-dimension$5 or two-dimension$5 or ((one or two) adj2 dimension$5)) near2 (symbol or glyph or square or pattern or dot or line or bar)) same4 ((program$5 or instruction) same4 (script or set or code or instruction))) and "656791".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:28
S25	1773	((card or artcard) same ((row or column or array or matrix or one-dimension$5 or two-dimension$5 or ((one or two) adj2 dimension $5)) near2 (symbol or glyph or square or pattern or dot or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:32

		line or bar))) and (((row or column or array or matrix or one-dimension$5 or two-dimension$5 or ((one or two) adj2 dimension$5)) near2 (symbol or glyph or square or pattern or dot or line or bar)) same ((program$5 or instruction or script or code or coding or coded))) and ((scan$5 or read $3 or sens$3) same (card or artcard) same ((row or column or array or matrix or one-dimension$5 or two-dimension $5 or ((one or two) adj2 dimension $5)) near2 (symbol or glyph or square or pattern or dot or line or bar)))				
S27	1018	S25 and (camera or (image adj2 captur$3)) same (scan$5 or read$3 or sens$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:33
S32	459	S27 and (housing or slot or compartment or hole) same2 (artcard or card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:34

S34	189	S32 and (scan$5 or read$3 or sens $3) same (card or artcard) same ((process$5 or image or correct$5 or adjust$5 or conver$5 or transform$5) near3 (program$5 or instruction or script or code or coding or coded))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:37
S42	135	S34 and ((artcard or card) near3 (insert$5 or plac$3 or put$3 or push$3 or slid$3)) same3 (housing or slot or compartment or hole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:45
S45	152	S34 and ((artcard or card) near3 (insert$5 or plac$3 or put$3 or push$3 or slid$3)) same3 (slit or aperture or channel or housing or slot or compartment or hole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:48
S46	93	S45 and ("348". clas. or "358". clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:48
S47	0	S46 not silverbrook.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:49
S48	93	S45 and ("348". clas. or "358".clas. or "396".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:49

S49	27	S45 and ("235". clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:52
S50	37	S45 not silverbrook.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:55
S51	37	S45 not (silverbrook.in. or silverbrook.as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 13:55
S52	115	S45 and (silverbrook.in. or silverbrook.as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 14:00
S53	2	"583858".ap. and silverbrook	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 14:08
S54	0	01-69364	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 15:14
S55	0	0-169364	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 15:14
S56	68	"169364"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 15:15

EAST Search History (Interference)

<This search history is empty>

2/28/10 11:55:06 AM
C:\Documents and Settings\bmenberu\My Documents\EAST\Workspaces

10656791.022610.wsp